

GARDENER'S CHECKLIST

- 1. California Natives, many of which are ideal for that "hard-to-water-spot," should be planted now.
- 2. Watch Tuberous Begonia leaves for evidence dew. Your nurseryman can suggest a control.
- 3. Earwigs and ants can be readily controlled chlordane.
- Bedding plants can be planted all through the mer in California. Petunias, Marigolds, Snapdr and Dwarf Dahlias planted now will be in full in a very short time.
- You can sow these seeds now for fall and winter color: Primula, Malacoides, Stocks, Snapdragous, Pan sies, Calendula and Violas.

uly Clearance of Distinctive Modern Lamps Up to

7 Piece Rattan Grouping

50% OFF.

BAMBOO ROLL-UP DRAPES FORMOSA SEA GRASS — 254 sq. ft.

Mira Costa 200 S. Sepulveda Manhattan Beach Home Shop Glosed Thursday

Garden Chatter

control.

The presence of Injurious insects should be confirmed before insecticides are applied. The pyrethrum test will indicate the presence or absence of larvae of larvae or lavn moths, skippers, the Lucerne moth and cutworms. Use two teaspoons of a water soluble pyrethrum preparation (2% pyrethrins) to a gallon of water and apply it over a square yard of turf. You will see the larvae on the surface within 10 minutes if they are present. The moth itself fluttering about is not always an indication.

Skippers attack bentgrass in the main and are about an inch long and promish yellow in color, resembling a cutworm, only the segments behind the head are smaller than the head and the rest of the body.

Cutworms are fat-bodied and are from an inch to two inches long. They are most injurious to bentgrasses and cause severe damage.

The larvae of the Lucerne moth resemble the sod webworm but are a little longer. They feed mainly on clover and other legumes and are not too common in this area.

White grubs at times are most injurious for grubs at times are most injurious. They are about an inch long when fully grown and very fat. They are not too scommon in this area.

For Classified Results

PHONE

FA 8-4000

Shrubs Provide Ground Cover

Lawn moths, skippers, Luchromas, white grubs can be held under control with a combination of aldrin and dieldrin either in a spray or dust form. The grubs will die slower than the others so do not be disappointed if they are still around after using the poison.

Leafnoppers are easily controlled by the use of malathion as are the clover mites. Repeated applications are necessary, however.

Billbugs are kept under control by chlordane spray or dusts.

Examine your turf and see just what type of insect that you have and use the proper control and in the case of severe infestation repeat as necessary.

Largest Nursery Locally

Palos Verdes Begonia Farm

TUBEROUS BEGONIA

SPROUTED 25' PLANTS |

TUBEROUS BEGONIA PLANT FREE WITH EACH PURCHASE

ROLLER and SPREADER LOANED FREE!





COLEUS 3 - 25 "MUMS" 5() doz 75 doz

LANTANA 49°

HIBISCUS

ABYSSINIAN BANANA

PHILODENDRON SELLOUM Healthy - Green - Reg. 1.95 (1 gal.)

GARDEN CENTER NURSERY

BOUGAINVILLEA 89: 5 Gal. 3.95 to 4.50 Value In Full Bloom \$295

This Only

7720 SO. VERMONT

PL 3-3446