

"Don't give me that I'm broke routine . . . you're driving a compact car . . . where's the money you save?"

Hepatitis Continues Rise Across Nation

Rise Across Nation

The number of cases of infectious hepatitis reported to the Jos Angeles County Health Dept, is a reflection of the nationwide rise in the occurrence of this disease. Some 1,085 cases were reported to the county health dept, in 1960 as tigainst 541 in the previous rear, and, considering that 804 cases have been reported this far in 1961, there is some indication that the rise is condinuing.

Infectious hepatitis is apparently cyclical in nature. This means that the number of cases keeps increasing over a retain period of time, usually a 6-to-10 vear period in the cases deeps increasing over a defective, gamma globulin will provide temporary protection against it, and will either revent its occurrence or lessen the severity of the attack. To be effective, gamma globulin will provide temporary protection against it, and will either revent its occurrence or lessen the severity of the attack. To be effective, gamma globulin will provide temporary protection against it, and will either revent its occurrence or lessen the severity of the attack. To be effective, gamma globulin will provide temporary protection against it, and will either revent its occurrence or lessen the severity of the attack. To be effective, gamma globulin will provide temporary protection against it, and will either revent its occurrence or lessen the severity of the attack. To be effective, gamma globulin will provide temporary protection against it, and will either revent its occurrence or lessen the severity of the attack. To be effective, gamma globulin of those persons known to have been exposed to the infection will provide temporary protection against it, and will either revent its occurrence or lessen the severity of the attack. To be effective, gamma globulin will provide temporary protection against it, and will either revent its occurrence or lessen the severity of the attack. To be effective, gamma globulin of the severity of the attack. To be effective, gamma globulin of the provide temporary protection against i

In the Omicel States was in 1954 when over 50,000 cases were reported, but by 1957 the number had dropped to less han 15,000. The upward trend in the number of cases which has continued since 1958 seems to follow the customary pattern of occurrence which is characteristic of the disorder. Symptoms of illness caused by the hepatitis virus usually appear in about 25 days from the time of infection, although this period may vary from 10 to 40 days depending on the individual. Fever, chills, loss of appetite, diarrhea, weakness, nausea, and abdominal discomfort are generally experienced, while vomiting may also occur. After several days, faundice may be evident in more severe cases, due to an accumulation of bile pigments in the blood and tissues.

This ailment occurs most often in children and volved and card of request to the Division of Health Education, Los

or bile pignients in the blood and tissues.

This ailment occurs most often in children and young adults—who generally recover completely with two or three weeks—but tends to be more serious in the case of adults. Deaths from infectious hepatitis are infrequent and occur chiefly in those individuals over 30 years of age. over 30 years of age

Infectious hepatitis spreads from one person to another through close personal contact, as the virus is present in the intestinal contents of the infected individual. It is therefore understandable that an infection in one member of the family or group may be easily

family or group may be easily The spread of infectious hipatitis may be limited to some extent through good personal



WATER SAFETY TIP



Explore strange waters for hidden obstructions be-fore diving—it can save you much worse than a headache.



7